



## **TOBIN Property Ownership and Lease Tract Arc/Info Data Distribution Tape Format**

Tobin Map Data

355 Central Parkway South, Suite 500  
San Antonio, TX 78232  
Phone: 800.365.4484  
[info@p2es.com](mailto:info@p2es.com)

### **1. Distribution Media**

TOBIN Property Ownership and Lease Tract data sets are available on various magnetic media and CD-ROM for mainframe, workstation, and PC based systems. Refer to product literature for availability.

### **2. Data Representation**

No unnecessary blanks or zeros will be depicted in the data. Fields which are legitimately blank will be represented by two consecutive pipes. A blank field at the end of a table will contain only a line feed (or a line feed and carriage return for DOS machines).

Latitude/longitude coordinate locations will be carried to 6 decimal places. Latitude values in the southern hemisphere, and longitude values in the northern hemisphere, will be preceded by a negative sign. For example, the point 88.444111 west longitude and 33.555000 north latitude would be represented in a pipe file as "|33.555000|-88.444111|".

Dates will be 8-character numeric fields of the form "YYYYMMDD", where YYYY is the year, MM is the month ("01" is January, "12" is December, etc.), and DD is the day of the month from "01" to "31".

### **3. Arc/Info Export File Format**

stctylse.e00 - Lease Tract coverage files

stctyown.e00 - Property Tract coverage files



#### **4. ASCII Database Output**

Please refer to the [TOBIN Property Ownership and Lease Database Model](#) document for specific field sizes and file relationships.

#### **File Naming:**

The following file character prefixes are used:

Character Number(s)

1& Alpha state code  
2

3-5 FIPS county number

6 Based on property or lease data; "p" in the prefix designates the property layer or "l" designates the lease layer

7 An "a" designates an ASCII formatter

8 Not used at this time

Lease data provided in Arc/Info Export format will consist of the Lease Tract and Polygon Tract coverage files listed below, plus all of the following Lease Database Model files:

#### **ArcInfo files:**

For lease tract coverages stctylse.e00

For property tract coverages stctyown.e00

From TOBIN Property Ownership and Lease Data Database Model

#### **Property file names:**

Property Ownership Header stctypa.hdr

Property Ownership Tract stctypa.tct



Grantor/Grantee/Assignor/Assignee/Depth stctypa.gtr

Property Geopolitical table stctypa.geo

Property Tract Polygon Sequence number stctypa.seq

Property Annotations stctypa.ann

**Lease file names:**

Lease header stctyla.hdr

Lease Tract stctyla.tct

Lessor/Assignor/Depth stctyla.lsr

Lease Tract Geopolitical table stctyla.geo

Lease Tract Polygon Sequence number stctyla.seq

Lessee/Assignee/Depth stctyla.lse

Lease Annotation Points stctyla.ann

Lease Annotation Relate stctyla.anr

**NOTE: CHANGES FROM 1.05 TO 1.07:**

**Statement on page 1:**

Latitude/longitude coordinate locations will be carried to 6 decimal places. Latitude values in the southern hemisphere, and longitude values in the northern hemisphere, will be preceded by a negative sign. For example, the point 88.444111 west longitude and 33.555000 north latitude would be represented in a pipe file as "|33.555000|-88.444111|".